

Version 01

Page 1 / 9

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

## INVISIBLE SHIELD® Protective Coating - RTU (Ready-to-use)

## 1.2 Relevant identified uses of the substance or mixture and uses advised against

1.2.1 Relevant uses

Coating agent

1.2.2 Uses advised against

None known.

#### 1.3 Details of the supplier of the safety data sheet

**Company** SL-INVEST GCV

Izegemsestraat 128, 8800 Roeselare - Belgium Email: slisalki@gmail.com BTW Nr: BE 0645996640

Manufacturer UNELKO CORPORATION

14641 N.74th ST.

AZ 85260 Scottsdale / USA Phone +32 0 9 384 68 21 Fax 480.483.7674

Homepage www.unelko.com E-mail info@unelko.com

Address enquiries to

Technical information info@unelko.com
Safety Data Sheet info@unelko.com

1.4 Emergency telephone number

Company +32 (0)70 245 245 (24h)

## SECTION 2: Hazards identification

## 2.1 Classification of the substance or mixture

Flam. Liq. 2: H225 Highly flammable liquid and vapour.

2.2 Label elements

The product is required to be labelled in accordance with regulation (EC) No 1272/2008 (CLP).

Hazard pictograms

Signal word DANGER

**Hazard statements** H225 Highly flammable liquid and vapour.

**Precautionary statements** P102 Keep out of reach of children.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

P233 Keep container tightly closed.

P403+P235 Store in a well-ventilated place. Keep cool.

P501 Dispose of contents/container in accordance with local/national regulation.

2.3 Other hazards

Physico-chemical hazards Vapours may form explosive mixture with air.

Other hazards Further hazards were not determined with the current level of knowledge.



Date printed 27.06.2017, Revision 27.06.2017 Version 01 Page 2 / 9

## **SECTION 3: Composition / Information on ingredients**

#### Product-type:

The product is a mixture.

Range [%]	Substance	
ca. 92	Ethanol	
	CAS: 64-17-5, EINECS/ELINCS: 200-578-6, EU-INDEX: 603-002-00-5	
	GHS/CLP: Flam. Liq. 2: H225	
1 - 8	Dimethylpolysiloxanes	
	CAS: 94363-18-5, EINECS/ELINCS: 256-344-9	

Comment on component parts

Substances of Very High Concern - SVHC: substances are not contained or are below 0.1%.

For full text of H-statements: see SECTION 16.

## **SECTION 4: First aid measures**

## 4.1 Description of first aid measures

**General information** Take off contaminated clothing and wash before reuse.

**Inhalation** Ensure supply of fresh air.

Remove the victim into fresh air and keep him calm. In the event of symptoms seek medical treatment.

**Skin contact** When in contact with the skin, clean with soap and water.

Consult a doctor if skin irritation persists.

Eye contact Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention.

**Ingestion** Do not induce vomiting.

Rinse mouth. Seek medical advice.

# 4.2 Most important symptoms and effects, both acute and delayed

Cough Redness

Nausea, vomiting.

# 4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

Forward this sheet to the doctor.

# SECTION 5: Fire-fighting measures

## 5.1 Extinguishing media

Suitable extinguishing media foam, dry powder, water spray jet, carbon dioxide

Alcohol-resistant foam.

Extinguishing media that must not

be used

Full water jet

# 5.2 Special hazards arising from the substance or mixture

Risk of formation of toxic pyrolysis products.

Carbon monoxide (CO) Carbon dioxide (CO2)

Metal oxides.

## 5.3 Advice for firefighters

Use self-contained breathing apparatus.

Cool containers at risk with water spray jet.

Fire residues and contaminated firefighting water must be disposed of in accordance within

the local regulations.



Version 01

Page 3 / 9

## SECTION 6: Accidental release measures

## 6.1 Personal precautions, protective equipment and emergency procedures

Keep away from all sources of ignition.

Ensure adequate ventilation.

Wear suitable protective equipment. For personal protection see SECTION 8.

#### 6.2 Environmental precautions

Do not discharge into the drains/surface waters/groundwater.

## 6.3 Methods and material for containment and cleaning up

Pick up with absorbent material (e.g. sand, universal absorbent, diatomaceous earth).

Dispose of absorbed material in accordance within the regulations.

#### 6.4 Reference to other sections

See SECTION 8+13

## SECTION 7: Handling and storage

## 7.1 Precautions for safe handling

Use only in well-ventilated areas.

Provide good room ventilation even at ground level (vapours are heavier than air).

Avoid contact with eyes and skin. Use personal protective equipment.

Keep out of reach of children and domestic animals.

Keep away from open flames, hot surfaces and sources of ignition.

Ignitable mixtures can be formed in the empty container.

Use explosion-proofed equipment/fittings and non-sparkling tools.

Ground/bond container and receiving equipment.

Wash face and/or hands before break and end of work.

Use barrier skin cream.

Take off contaminated clothing and wash before reuse.

Do not eat, drink or smoke when using this product.

## 7.2 Conditions for safe storage, including any incompatibilities

Keep only in original container.

Provide solvent-resistant and impermeable floor.

Do not store together with oxidizing agents.

Do not store together with acids and alkalies.

Do not store together with food and animal food/diet.

Keep container tightly closed.

Keep container in a well-ventilated place.

Protect from heat/overheating and from sun.

Keep in a cool place. Store in a dry place.

Store in a dark place.

# 7.3 Specific end use(s)

See product use, SECTION 1.2

#### SECTION 8: Exposure controls / personal protection

## 8.1 Control parameters



Date printed 27.06.2017, Revision 27.06.2017 Version 01 Page 4 / 9

### 8.2 Exposure controls

Additional advice on system design 
Ensure adequate ventilation on workstation.

Measurement methods for taking workplace measurements must meet the performance

requirements of DIN EN 482. For example, recommendations are given in the IFA's list of

hazardous substances.

Eye protection If there is a risk of splashing:

safety glasses (EN 166:2001)

**Hand protection** Not required under normal conditions.

> 0,11 mm, butyl rubber, > 120 min (EN 374)

The details concerned are recommendations. Please contact the glove supplier for further

information

Skin protectionSolvent-resistant protective clothing.OtherAvoid contact with eyes and skin.

Do not inhale vapours.

Personal protective equipment should be selected specifically for the working place, depending on concentration and quantity handled. The resistance of this equipment to

chemicals should be ascertained with the respective supplier.

**Respiratory protection**Not required under normal conditions.

If ventilation is insufficient, wear respiratory protection. Short term: filter apparatus, filter A. (DIN EN 14387)

Thermal hazards not applicable

Delimitation and monitoring of the

environmental exposition

Comply with applicable environmental regulations limiting discharge to air, water and soil.

## SECTION 9: Physical and chemical properties

#### 9.1 Information on basic physical and chemical properties

Form liquid
Color clear
Odor alcoholic

Odour threshold No information available.

pH-value No information available.

 pH-value [1%]
 3

 Boiling point [°C]
 78

 Flash point [°C]
 10

Flammability (solid, gas) [°C] not applicable

Lower explosion limitNo information available.Upper explosion limitNo information available.

Oxidising properties no

 $\begin{tabular}{lll} \begin{tabular}{lll} \begin{$ 

Bulk density [kg/m³] not applicable

Solubility in water 100 g/l

Partition coefficient [n-octanol/water] No information available.

Viscosity not applicable

Relative vapour density determined

in air

> 1

Evaporation speed

Melting point [°C]

Autoignition temperature [°C]

No information available.

No information available.

No information available.

No information available.

## 9.2 Other information

none



Date printed 27.06.2017, Revision 27.06.2017 Version 01 Page 5 / 9

# SECTION 10: Stability and reactivity

#### 10.1 Reactivity

Evolution of flammable mixtures possible in air when heated above flash point and/or during spraying or misting.

#### 10.2 Chemical stability

Stable under normal ambient conditions (ambient temperature). Stable under recommended storage conditions.

## 10.3 Possibility of hazardous reactions

Reactions with alkalies (lyes). Reactions with oxidizing agents. Reactions with acids.

#### 10.4 Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

## 10.5 Incompatible materials

See SECTION 10.3.

#### 10.6 Hazardous decomposition products

No dangerous reactions known if used as directed. In the event of fire: See SECTION 5.

Product

#### SECTION 11: Toxicological information

## 11.1 Information on toxicological effects

Acute toxicity

ATE-mix, oral, > 5000 mg/kg.		
Substance		
Ethanol, CAS: 64-17-5		
LD50, dermal, Rabbit: 7430 mg/kg.		
LD50, oral, Rabbit: 7060 mg/kg.		
LC50, inhalative, Rat: 37620 mg/m³/10h.		

Serious eye damage/irritation Based on the available information, the classification criteria are not fulfilled. Skin corrosion/irritation Based on the available information, the classification criteria are not fulfilled. Respiratory or skin sensitisation Based on the available information, the classification criteria are not fulfilled. Specific target organ toxicity -Based on the available information, the classification criteria are not fulfilled. single exposure Specific target organ toxicity -Based on the available information, the classification criteria are not fulfilled. repeated exposure Mutagenicity Based on the available information, the classification criteria are not fulfilled. Reproduction toxicity Based on the available information, the classification criteria are not fulfilled. Carcinogenicity Based on the available information, the classification criteria are not fulfilled. Based on the available information, the classification criteria are not fulfilled. **Aspiration hazard** General remarks

Toxicological data of complete product are not available.



Version 01

Page 6 / 9

# SECTION 12: Ecological information

## 12.1 Toxicity

#### 12.2 Persistence and degradability

Behaviour in environment

No information available.

compartments

Behaviour in sewage plant No information available. 94% (CAS 64-17-5)(Lit.) Biological degradability

# 12.3 Bioaccumulative potential

log Pow: -0,32 (CAS 64-17-5) - Accumulation in organisms is not expected.

## 12.4 Mobility in soil

No information available.

#### 12.5 Results of PBT and vPvB assessment

No information available.

#### 12.6 Other adverse effects

Ecological data of complete product are not available.

Do not discharge product unmonitored into the environment or into the drainage.

## SECTION 13: Disposal considerations

#### 13.1 Waste treatment methods

Waste material must be disposed of in accordance with the Directive on waste 2008/98/EC as well as other national and local regulations. It is not possible to determine a waste code for this product in accordance with the European Waste Catalogue (EWC) since it is only possible to classify it according to how it is used by the customer. The waste code is to be determined within the EU in liaison with the waste-disposal operator.

## **Product**

Coordinate disposal with the authorities if necessary.

Waste no. (recommended)

070704\* 160305\* 200113\*

Contaminated packaging

Uncontaminated packaging may be taken for recycling.

Packaging that cannot be cleaned should be disposed of as for product.

Waste no. (recommended) 150110\*

# **SECTION 14: Transport information**

## 14.1 UN number

Transport by land according to

1170

ADR/RID

Inland navigation (ADN) 1170

Marine transport in accordance with 1170

**IMDG** 

Air transport in accordance with IATA 1170



Version 01

Page 7 / 9

## 14.2 UN proper shipping name

Transport by land according to ADR/RID

- Classification Code

- Label

Ethanol solution

Ethanol solution

Ethanol solution

- ADR LQ

- ADR 1.1.3.6 (8.6)

Transport category (tunnel restriction code) 2 (D/E)

Inland navigation (ADN)

- Classification Code

- Label



F1

Marine transport in accordance with

**IMDG** 

F-E, S-D

- EMS - Label

•

- IMDG LQ

Air transport in accordance with IATA Ethanol solution

- Label



14.3 Transport hazard class(es)

Transport by land according to

ADR/RID

Inland navigation (ADN) 3

Marine transport in accordance with 3

**IMDG** 

Air transport in accordance with IATA  $\,3\,$ 

14.4 Packing group

Transport by land according to

ADR/RID

Inland navigation (ADN)

Marine transport in accordance with

**IMDG** 

Air transport in accordance with IATA  $\,\,$ II



Version 01

Page 8 / 9

#### 14.5 Environmental hazards

Transport by land according to

ADR/RID

no

Inland navigation (ADN)

Marine transport in accordance with

**IMDG** 

Air transport in accordance with IATA no

## 14.6 Special precautions for user

Relevant information under SECTION 6 to 8.

## 14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

No information available.

# **SECTION 15: Regulatory information**

## 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

**EEC-REGULATIONS** 1991/689 (2001/118); 2010/75; 2004/42; 648/2004; 1907/2006 (REACH); 1272/2008;

75/324/EEC (2008/47/EC); (EU) 2015/830; (EU) 2016/131; (EU) 517/2014

TRANSPORT-REGULATIONS DOT-Classification, ADR (2017); IMDG-Code (2017, 38. Amdt.); IATA-DGR (2017).

VOC (2010/75/CE): ca. 92 %

SEVESO III ( Directive 2012/18/EU) SEVESO III ( Directive 2012/18/EU), Hazard categories in accordance with Regulation (EC)

No 1272/2008:

P5c FLAMMABLE LIQUIDS

Qualifying quantity (tonnes), Column 2: 5 000 Qualifying quantity (tonnes), Column 2: 50 000

- Observe employment restrictions

for people

Observe employment restrictions for young people.

## 15.2 Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

## **SECTION 16: Other information**

# 16.1 Hazard statements (SECTION 03)

H225 Highly flammable liquid and vapour.



Version 01

Page 9 / 9

#### 16.2 Abbreviations and acronyms:

ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route

RID = Règlement concernant le transport international ferroviaire de marchandises dangereuses

ADN = Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure

ATE = acute toxicity estimate

CAS = Chemical Abstracts Service

CLP = Classification, Labelling and Packaging

DMEL = Derived Minimum Effect Level

DNEL = Derived No Effect Level

EC50 = Median effective concentration ECB = European Chemicals Bureau

EEC = European Economic Community

EINECS = European Inventory of Existing Commercial Chemical Substances

ELINCS = European List of Notified Chemical Substances

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

IATA = International Air Transport Association

IBC-Code = International Code for the Construction and Equipment of Ships carrying

Dangerous Chemicals in Bulk

IC50 = Inhibition concentration, 50%

IMDG = International Maritime Code for Dangerous Goods

IUCLID = International Uniform Chemical Information Database

LC50 = Lethal concentration, 50%

LD50 = Median lethal dose

LC0 = lethal concentration, 0%

LOAEL = lowest-observed-adverse-effect level

MARPOL = International Convention for the Prevention of Marine Pollution from Ships

NOAEL = No Observed Adverse Effect Level NOEC = No Observed Effect Concentration

PBT = Persistent, Bioaccumulative and Toxic substance

PNEC = Predicted No-Effect Concentration

REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals

STP = Sewage Treatment Plant

TLV®/TWA = Threshold limit value - time-weighted average TLV®STEL = Threshold limit value - short-time exposure limit

VOC = Volatile Organic Compounds

vPvB = very Persistent and very Bioaccumulative

## 16.3 Other information

Classification procedure Flam. Liq. 2: H225 Highly flammable liquid and vapour. (On basis of test data)

Modified position none



Copyright: Chemiebüro®

